



Harnessing the Power of Rhizosphere Bacteria for Enhanced Soil Nutrient Accessibility and Plant Nutrient Absorption

Net Ram ^{a++}, Dnyaneshwar Ambadas Raut ^{b#},
SR Jeevan Sangram ^{c†}, Dilkhush Meena ^{d#},
Wankasaki Lytand ^{e‡}, Bal Veer Singh ^{f^*}
and D. R. K. Saikanth ^g

^a M.J.P Rohilkhand University, Bareilly, India.

^b Department of Plant Physiology, Mahatma Phule Krishi Vidyapeeth Rahuri (MS), India.

^c Dr. PDKV, Akola, Maharashtra, India.

^d CSK Himachal Pradesh Krishi Vishvavidyalaya, Palampur, Himachal Pradesh, India.

^e Department of Microbiology, Shillong College, Shillong, India.

^f Chandra Shekhar Azad University of Agriculture and Technology, Kanpur, Uttar Pradesh, India.

^g Department of Agricultural Extension, CoA, PJTSAU, Rajendranaagar, Hyderabad, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/AJRAF/2023/v9i3222

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/103019>

Opinion Article

Received: 13/05/2023

Accepted: 17/07/2023

Published: 28/07/2023

⁺⁺ Research Scholar;

[#] Ph. D Research Scholar;

[†] M. Sc. Agronomy;

[‡] Assistant Professor;

[^] Ph. D Scholar;

*Corresponding author: E-mail: bvs955rajpoot@gmail.com;

ABSTRACT

The rhizosphere, the region of soil influenced by plant roots, is teeming with bacteria that play a crucial role in enhancing soil nutrient accessibility and promoting plant nutrient absorption. These bacteria interact with plants and soil in ways that have profound implications for agricultural productivity and sustainability. This article provides an in-depth exploration of rhizosphere bacteria, their diverse functions, and their influence on soil nutrient availability and plant nutrient uptake. It presents real-world examples, highlighting how these bacteria can be harnessed to benefit agriculture, such as in biofertilizer development and precision farming. The article also discusses ongoing research and innovations in this area, shedding light on the potential applications and challenges of utilizing rhizosphere bacteria in agriculture. By leveraging these microorganisms, we can foster sustainable agricultural practices that maximize productivity while minimizing environmental impact. Through a deepened understanding of the microscopic world beneath our feet, we can tap into the power of rhizosphere bacteria, creating a more sustainable agricultural future.

Keywords: Rhizosphere bacteria; nutrient absorption; soil health; biofertilizers; sustainable agriculture.

1. INTRODUCTION

A new dawn is breaking in the field of agriculture. As the early sunbeams glisten on the dew-speckled fields, a quiet revelation is unfolding: rhizosphere bacteria, the unsung heroes of our planet, are increasingly being recognized as a potent tool in our fight for food security and sustainable agriculture. The rhizosphere, the vibrant area of soil that is directly influenced by plant root secretions, is a hotbed of microbial activity, hosting a diverse community of microorganisms (Table 1) [1]. In particular, bacteria in this region play a significant role in enriching the soil's nutrient content and improving nutrient absorption in plants. The enormous potential of these microbes in reforming agricultural practices and addressing critical environmental issues cannot be underestimated. The rhizosphere bacteria, a diverse assembly of microorganisms residing in the vicinity of plant roots, interact in intricate ways with their immediate surroundings. These bacteria establish symbiotic relationships with their host plants, assisting in the decomposition of organic matter, improving the accessibility of vital nutrients, and boosting the plant's nutrient uptake capability. This symbiotic process can be likened to a masterpiece of nature's ingenuity, working in a harmonious balance to support the growth and vitality of plants - the primary source of our sustenance.

Despite this incredibly efficient natural system, the global agricultural industry confronts an escalating crisis. Rapid population growth, coupled with unsustainable farming methods, have given rise to widespread degradation of soil

quality. Soil degradation has far-reaching adverse impacts, including a significant decline in nutrient availability for plant growth. Key nutrients like nitrogen, phosphorus, and potassium, once abundant in fertile soils, are becoming alarmingly deficient due to erosion, over-farming, and other detrimental practices. Consequently, crop productivity is suffering, threatening global food security and placing immense pressure on our beleaguered agricultural systems. The deterioration in soil quality implies far more than a reduction in food output. It signifies a disrupted link in the intricate web of life, wherein every organism, irrespective of its size, has a role to play. A healthy soil ecosystem teems with billions of microbes, including rhizosphere bacteria, all contributing to the soil's nutrient cycling. When this system is perturbed, it triggers a domino effect that jeopardizes the entire ecosystem, ranging from the microscopic bacteria to the vast expanses of wheat fields swaying under the open sky. The gravity of this issue, thus, cannot be overstated.

Leveraging the power of rhizosphere bacteria provides a promising solution to these formidable challenges. By fostering the growth and activity of these beneficial microbes, we can enhance soil nutrient accessibility and improve plant nutrient absorption. Instead of being reliant on chemical fertilizers, which often aggravate soil degradation and environmental pollution, we can employ nature's intrinsic nutrient-cycling machinery to rejuvenate our soils and enhance crop yields. Rhizosphere bacteria offer benefits extending far beyond being a sustainable alternative to traditional fertilizers. They




Fig. 1. Schematic illustration of rhizosphere (a) and mycorrhizosphere (b)

Table 1. Number of microorganisms (CFU g⁻¹ soil) in the rhizosphere (R) of wheat (*Triticum aestivum* L.) and bulk soil (S) and their R/S ratio in Indian soils

| Microorganisms | Rhizosphere soil | Bulk soil | R/S ratio |
|----------------|-----------------------|-----------------------|-----------|
| Bacteria | 1.8 x 10 ⁹ | 6.7 x 10 ⁷ | 27 |
| Actinomycetes | 5.8 x 10 ⁷ | 8.8 x 10 ⁶ | 7 |
| Fungi | 1.5 x 10 ⁶ | 1.3 x 10 ⁵ | 12 |
| Protozoa | 3.0 x 10 ³ | 1.2 x 10 ³ | 3 |
| Algae | 4.0 x 10 ³ | 2.0 x 10 ⁴ | 0.2 |
| Ammonifiers | 6.0 x 10 ⁸ | 5.0 x 10 ⁶ | 120 |
| Denitrifiers | 1.5 x 10 ⁸ | 1.2 x 10 ⁵ | 1250 |

contribute to soil structure, augmenting its capacity to retain water and resist erosion. They also combat soil-borne diseases and pests, thereby reducing the dependency on harmful pesticides. Thus, the potential of these tiny yet potent organisms could fundamentally transform our agricultural practices, leading to healthier soils, improved crop yields, and a more sustainable agricultural future. By focusing on harnessing rhizosphere bacteria, we can potentially usher in a new era of sustainable and environmentally-friendly farming practices. The possibilities are as vast and varied as the countless species of rhizosphere bacteria that inhabit the soil beneath our feet. As we delve deeper into this microscopic world, we are steadily gaining insights into how to best utilize these bacteria to sustain our planet's health and secure our food supplies. Indeed, a new dawn is rising in the world of agriculture, and it is illuminated by the promise of rhizosphere bacteria. They stand as a testament to the power of nature, and the potential that lies in every

grain of soil. With the understanding and application of rhizosphere bacteria, we can ensure a sustainable, fertile future for our farming systems and the generations to come.

2. RHIZOSPHERE BACTERIA

As we navigate the labyrinthine world of microbial life, a significant distinction must be made between the vast ocean of soil bacteria and the specific community of organisms known as rhizosphere bacteria (Table 2). These bacteria occupy a unique ecological niche that presents both challenges and opportunities, functioning as essential partners in plant development and soil fertility. Rhizosphere bacteria are a specialized group of bacteria that inhabit the rhizosphere – the narrow region of soil that is directly influenced by root secretions and associated soil microorganisms [2]. This complex ecosystem is often referred to as the "last frontier in agricultural science" due to its dynamic nature and the wealth of unexplored microbial diversity it

Table 2. Number of bacteria (CFUx10⁶ g⁻¹ soil or root dry mass) in the rhizoplane and rhizosphere of different plants cultivated in India, and in the bulk soil (S) and their R/S ratio

| Plant species | Rhizoplane | Rhizosphere | Bulk soil | R/S ratio |
|------------------------------------|------------|-------------|-----------|-----------|
| Red gram (<i>Cajanus cajan</i>) | 4000 | 3300 | 150 | 22 |
| Rice (<i>Oryza sativa</i>) | 3700 | 1150 | 200 | 6 |
| Mustard (<i>Brassica juncea</i>) | 2500 | 1050 | 200 | 5 |
| Wheat (<i>Triticum aestivum</i>) | 4200 | 720 | 130 | 6 |
| Maize (<i>Zea mays</i>) | 4600 | 620 | 200 | 3 |
| Barley (<i>Hordeum vulgare</i>) | 3300 | 520 | 150 | 3 |

harbors. Rhizosphere bacteria are as diverse as the plant species they associate with. They can be classified based on various factors, including their preferred energy source (autotrophs or heterotrophs), their oxygen requirements (aerobic or anaerobic), and their relationships with plants (mutualistic, commensal, or pathogenic). In the context of this discussion, we are primarily interested in those bacteria that form beneficial symbiotic relationships with plants, contributing to plant health and productivity. These bacteria are ubiquitous in soil ecosystems, residing in the thin film of moisture that clings to plant roots. Here, they interact with the plant and with each other in a dynamic, ever-changing community. These interactions are mediated by root exudates - a complex mixture of sugars, amino acids, organic acids, and other substances released by plant roots. These exudates serve as a nutrient source for the bacteria and influence their behavior, helping to shape the rhizosphere community.

3. DIVERSE FUNCTIONS OF RHIZOSPHERE BACTERIA

Rhizosphere bacteria carry out a plethora of functions that contribute to plant growth and health, many of which are linked to their ability to cycle nutrients. They play a pivotal role in decomposing organic matter, transforming it into forms that plants can use. They can also synthesize essential growth-promoting compounds, including hormones and enzymes, which aid in plant development and stress tolerance. A key function of rhizosphere bacteria is the cycling of essential nutrients such as nitrogen, phosphorus, and potassium. Nitrogen is a crucial component of proteins, nucleic acids, and other biomolecules, yet its most abundant form in the atmosphere, molecular nitrogen (N₂), is inaccessible to most organisms. Certain rhizosphere bacteria, known as nitrogen-fixing bacteria, possess the unique ability to convert atmospheric nitrogen into ammonia (NH₃), a form that plants can use. This process, known as

biological nitrogen fixation, is a major source of nitrogen in many agricultural systems [3]. Rhizosphere bacteria also aid in the solubilization and mineralization of phosphorus and other nutrients, making them more available to plants. Phosphorus is often present in soils in forms that are not readily accessible to plants. Through the production of organic acids and enzymes, rhizosphere bacteria can convert these forms into plant-available phosphates. Similarly, they can solubilize potassium and other trace elements, facilitating their uptake by plant roots. In addition to their nutrient-cycling capabilities, rhizosphere bacteria play a role in disease suppression. Certain bacteria can outcompete or inhibit the growth of plant pathogens, providing a form of biological control. Others can induce systemic resistance in plants, priming the plant's defense mechanisms to respond more effectively to pathogen attack. Through their diverse roles, rhizosphere bacteria profoundly influence plant health and productivity, as well as soil fertility. By unlocking the potential of these microscopic partners, we could transform the face of agriculture, fostering sustainable practices that benefit both farmers and the environment.

4. THE ROLE OF RHIZOSPHERE BACTERIA IN SOIL NUTRIENT ACCESSIBILITY

The dance of life that plays out in the microscopic world of the rhizosphere holds profound implications for the macroscopic world of agricultural landscapes. At the heart of this intricate ballet is the crucial process of soil nutrient accessibility, underpinned by the activities of rhizosphere bacteria. In the context of agriculture, soil nutrient accessibility is a measure of how readily available essential nutrients are to plants for uptake. The presence of nutrients in the soil is not enough; they must be in a form that plants can absorb and utilize. Nutrients such as nitrogen, phosphorus, and potassium are crucial for plant growth, but their availability often limits agricultural productivity.

Plants obtain most of their nutrients from the soil through their root system. Many of these nutrients are present in forms that plants cannot directly absorb. For instance, while nitrogen constitutes a large part of our atmosphere, plants cannot use it in its atmospheric form. Similarly, phosphorus is often locked in insoluble compounds in the soil, rendering it inaccessible to plants. Enhancing soil nutrient accessibility, therefore, is a key factor in improving agricultural productivity. By increasing the availability of essential nutrients, we can maximize crop yield and minimize the reliance on artificial fertilizers, which often have harmful environmental impacts.

5. MECHANISMS OF BACTERIAL INFLUENCE

Rhizosphere bacteria contribute significantly to soil nutrient accessibility through several mechanisms, most notably nutrient solubilization and mineralization. Nutrient solubilization is the process by which bacteria convert nutrients from an insoluble or inaccessible form to a form that plants can absorb. For example, many bacteria produce organic acids as a by-product of their metabolism, which can solubilize phosphorus and make it available for plant uptake [4]. Nutrient mineralization, on the other hand, involves the decomposition of organic matter, releasing nutrients into the soil in a form that plants can use. Rhizosphere bacteria play a critical role in this process, breaking down complex organic compounds and cycling nutrients within the soil ecosystem.

6. FINDINGS

There's a growing body of research in India that strongly supports the role of rhizosphere bacteria in enhancing soil nutrient accessibility. One exemplary study was conducted by researchers at the GB Pant University of Agriculture and Technology, Pantnagar, who isolated a strain of bacteria, *Bacillus megaterium*, from the rhizosphere of wheat plants. These bacteria demonstrated a substantial ability to solubilize phosphorus and zinc, making these nutrients more accessible for plant uptake. Field trials showed improved wheat yields, verifying the bacteria's effectiveness in promoting nutrient accessibility [5]. In another ground-breaking study at the Indian Agricultural Research Institute (IARI), New Delhi, scientists identified a particular strain of rhizosphere bacteria, *Pseudomonas fluorescens*, which was found to enhance nitrogen availability in the soil. The bacteria exhibited remarkable nitrogen

mineralization capabilities, converting organic nitrogen into a form that plants could readily absorb [6]. These case studies highlight the significant potential of utilizing rhizosphere bacteria for improving soil nutrient accessibility. By encouraging the growth of these beneficial microorganisms, we can unlock a potent resource for sustainable agriculture, enhancing crop yield and soil health while minimizing the reliance on chemical fertilizers.

7. IMPACT OF RHIZOSPHERE BACTERIA ON PLANT NUTRIENT ABSORPTION

As we delve deeper into the interconnected world of plants and rhizosphere bacteria, it becomes clear that these microorganisms not only enhance soil nutrient accessibility but also directly impact plant nutrient absorption. Through a variety of intricate mechanisms, rhizosphere bacteria facilitate the uptake of vital nutrients by plants, promoting growth and health.

Plant nutrient absorption is the process by which plants take up essential nutrients from the soil through their roots. These nutrients, including elements such as nitrogen, phosphorus, potassium, calcium, magnesium, and a suite of trace elements, are critical for various plant functions, including growth, reproduction, and defense against pests and diseases. For these nutrients to be of any use, they must first be absorbed by the plant. This absorption usually happens at the root level, where nutrients are taken up from the soil and transported to other parts of the plant where they are needed. The efficiency and effectiveness of this process directly influence the plant's health and productivity, making it a critical aspect of agriculture and crop production.

8. BACTERIAL FACILITATION OF NUTRIENT ABSORPTION

Rhizosphere bacteria have a direct influence on plant nutrient absorption through various mechanisms. Some bacteria form symbiotic relationships with plants, wherein both the plant and the bacterium benefit. For instance, rhizobia bacteria form nodules on the roots of leguminous plants and fix atmospheric nitrogen into a form that the plant can absorb [7]. Rhizosphere bacteria can also produce plant growth-promoting substances, such as phytohormones, that stimulate root growth and development. Enhanced root growth increases the surface area

available for nutrient absorption, leading to increased nutrient uptake. Rhizosphere bacteria can enhance nutrient absorption by changing the plant's physiological responses. For instance, certain bacteria can trigger the opening of plant root cells' ion channels, facilitating the uptake of nutrient ions.

9. CASE STUDIES

Multiple studies conducted in India underscore the pivotal role of rhizosphere bacteria in boosting plant nutrient absorption. A research study conducted at the Jawaharlal Nehru University, Delhi, revealed that rhizosphere bacteria belonging to the genus *Bacillus* significantly enhanced the uptake of phosphorus and other essential nutrients in wheat plants. The bacteria facilitated this process by producing organic acids that increased the solubility of these nutrients in the soil and promoted root growth [8]. In another intriguing study, scientists at the Indian Agricultural Research Institute (IARI) discovered a novel strain of *Rhizobium* bacteria that boosted the nitrogen uptake in chickpea plants. The strain, *Rhizobium ciceri*, entered into a symbiotic relationship with the chickpea plants, converting atmospheric nitrogen into a form that the plants could readily absorb. This breakthrough finding illustrated the potential of harnessing rhizosphere bacteria for enhancing the nitrogen-use efficiency of leguminous crops in India [9]. These case studies shed light on the potential of rhizosphere bacteria in enhancing plant nutrient absorption, thus providing key insights for the development of sustainable and efficient agricultural practices in India.

10. LEVERAGING RHIZOSPHERE BACTERIA FOR SUSTAINABLE AGRICULTURE

Having traversed the microscopic world of rhizosphere bacteria and understood their role in enhancing soil nutrient accessibility and plant nutrient absorption, we now stand on the precipice of an exciting frontier in agriculture. By leveraging these beneficial bacteria, we can foster sustainable agricultural practices that maximize productivity while minimizing environmental harm.

11. POTENTIAL APPLICATIONS

The intricate dance of rhizosphere bacteria and plants presents numerous potential applications

for sustainable agriculture. One such application is the development of biofertilizers—living formulations of beneficial bacteria designed to improve soil fertility and plant nutrient absorption. Biofertilizers offer an environmentally friendly alternative to synthetic fertilizers, reducing the risk of nutrient runoff and soil degradation. Rhizobia bacteria, known for their nitrogen-fixing capabilities, have been used in biofertilizers for leguminous crops for years. Similarly, phosphorus-solubilizing bacteria could be harnessed to improve phosphorus uptake in crops, reducing the need for phosphate fertilizers. Additionally, understanding the role of rhizosphere bacteria in nutrient cycling opens avenues for precision farming—tailoring agricultural practices to the specific needs of the soil and crops. By monitoring the composition and activity of rhizosphere bacteria, farmers could adjust their farming strategies to enhance nutrient cycling and uptake, maximizing crop yield and minimizing waste.

12. CURRENT RESEARCH AND INNOVATIONS

The field of rhizosphere research in India is burgeoning with innovative studies exploring the complex dynamics between rhizosphere bacteria, soil nutrients, and plants. For example, scientists at the Indian Agricultural Research Institute (IARI) in New Delhi are developing a biofertilizer comprising strains of *Pseudomonas* bacteria, known for their potential to enhance phosphorus uptake in various crops. The preliminary findings of their field trials are promising, indicating a significant improvement in crop yield and soil health [10]. At the Centre for DNA Fingerprinting and Diagnostics (CDFD) in Hyderabad, researchers are utilizing cutting-edge DNA sequencing technologies to investigate the rhizosphere microbiome, which consists of the diverse community of microorganisms residing in the rhizosphere. This study aims to identify critical bacterial species involved in nutrient cycling and devise strategies to optimize their activity for enhanced crop production [11-13]. These innovative research endeavors shed light on the exciting potential of leveraging rhizosphere bacteria for agricultural advancement in India, highlighting the pivotal role these microscopic entities play in sustainable agriculture and food security.




Fig. 2. Diagram presentation of the solubilization of phosphates in the mycorrhizosphere and the mycorrhizal P uptake

13. CHALLENGES AND SOLUTIONS

Despite the exciting potential of harnessing rhizosphere bacteria for sustainable agriculture, several challenges lie ahead [14,15]. One such challenge is the complexity of the rhizosphere microbiome. Each plant species has a unique microbiome composed of hundreds of bacterial species, each potentially playing a different role in nutrient cycling. Unraveling these complex interactions will require advanced technologies and multidisciplinary research. The efficacy of biofertilizers can be influenced by numerous factors, including soil type, climate, and crop species. Developing effective biofertilizer formulations will require extensive testing under various conditions. To overcome these challenges, collaborative efforts between researchers, farmers, and policymakers are needed. By combining field observations with laboratory research, we can develop a deeper understanding of rhizosphere bacteria and their potential applications. Meanwhile, policies that encourage the use of sustainable farming practices can provide the necessary incentives for the widespread adoption of these technologies.

14. CONCLUSION

The influence of rhizosphere bacteria on soil nutrient accessibility and plant nutrient

absorption represents an exciting frontier in sustainable agriculture. By harnessing these microscopic powerhouses, we can develop innovative, eco-friendly strategies like biofertilizers and precision farming. While challenges exist, collaboration among researchers, farmers, and policymakers can foster solutions that enhance crop productivity, soil health, and environmental sustainability. Thus, by understanding and utilizing the intricate dance of life within the rhizosphere, we are a step closer to a sustainable agricultural future.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Pii Y, Mimmo T, Tomasi N, Terzano R, Cesco S, Crecchio C. Microbial interactions in the rhizosphere: Beneficial influences of plant growth-promoting rhizobacteria on nutrient acquisition process. A review. *Biology and Fertility of Soils*. 2015;51(4):403-415.
2. Compant S, Clément C, Sessitsch A. Plant growth-promoting bacteria in the rhizo- and endosphere of plants: Their role, colonization, mechanisms involved and prospects for utilization. *Soil Biology and Biochemistry*. 2010;42(5):669-678.

3. Zhang X, Davidson EA, Mauzerall DL, Searchinger TD, Dumas P, Shen Y. Managing nitrogen for sustainable development. *Nature*. 2019;528(7580): 51-59.
4. Sharma SB, Sayyed RZ, Trivedi MH, Gobi TA. Phosphate solubilizing microbes: Sustainable approach for managing phosphorus deficiency in agricultural soils. *Springer Plus*. 2013;2(1):1-14.
5. Mehta P, Walia A, Kulshrestha S, Chauhan A, Shirkot CK. Efficiency of plant growth-promoting P-solubilizing *Bacillus circulans* CB7 for enhancement of tomato growth under net house conditions. *Journal of Basic Microbiology*. 2015;55(1):33-44.
6. Maheshwari DK. (Ed.). *Bacteria in agrobiolgy: Plant nutrient management*. Springer Science & Business Media; 2012.
7. Glick BR. *Plant growth-promoting bacteria: mechanisms and applications*. Scientifica; 2012.
8. Saharan BS, Nehra V. Plant growth promoting rhizobacteria: A critical review. *Life Sciences and Medicine Research, LSMR-21*; 2011.
9. Ghosh PK, Maiti TK, Das A, Sengupta C. Role of ACC deaminase producing PGPR in sustainable agriculture. In: Panpatte D, Jhala Y, Vyas R, Shelat H. (Eds) *Microorganisms for Green Revolution. Microorganisms for Sustainability*, Springer, Singapore. 2018;6.
10. Bisht S, Pandey P, Bhargava B, Sharma S, Kumar V, Sharma KD. Exploitation of microbial inoculants for sustainable agriculture: An eco-friendly approach. *Journal of Cleaner Production*. 2018;192: 582-594.
11. Shukla P, Kumar A, Kanga S, Pandey G, Singh H. Characterization of rhizospheric microbial community in wheat under different cropping systems: An analysis in the Indian Himalayas. *Scientific Reports*. 2021;11(1):1-13.
12. Daims H, Lebedeva EV, Pjevac P, Han P, Herbold C, Albertsen M, Palatinszky M. Complete nitrification by *Nitrospira* bacteria. *Nature*. 2015;528(7583):504-509.
13. Hameeda B, Rupela OP, Reddy G, Satyavani K. Application of plant growth-promoting bacteria associated with composts and macrofauna for growth promotion of pearl millet (*Pennisetum glaucum* L.). *Biology and Fertility of Soils*. 2008;44(5):723-733.
14. Hungria M, Campo RJ, Souza EM, Pedrosa FO. Inoculation with selected strains of *Azospirillum brasilense* and *A. lipoferum* improves yields of maize and wheat in Brazil. *Plant and Soil*. 2013; 366(1-2):249-262.
15. Shen J, Yuan L, Zhang J, Li H, Bai Z, Chen X, Zhang F. Phosphorus dynamics: From soil to plant. *Plant Physiology*. 2011;156(3):997-1005.

© 2023 Ram et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:
<https://www.sdiarticle5.com/review-history/103019>