



A Comprehensive Review on Examination of Plant Biochemistry Including Pathways, Enzymes, and Applications

Mahima ^a, Jogendra Kumar ^{b†*},
Ashwani Kumar Tyagi ^{c#}, Somyashree Mishra ^{d++},
Raj Bahadur ^{e‡}, Anuradha Singh ^{f#} and K. Bharathi ^{g†}

^a Department of Agriculture, CCSHAU, Hissar, India.

^b RMP (PG) College, Gurukul Narsan, Haridwar, India.

^c IIMT University, Meerut, India.

^d Department of Genetics and Plant Breeding, Siksha 'O' Anusandhan Deemed to be University, India.

^e Department of Agronomy, Acharya Narendra Deva University of Agriculture and Technology (ANDUA&T), Kumarganj, Ayodhya-224229, (UP), India.

^f Department of Botany, Meerut College, Meerut, 250001, U.P, India.

^g Erode Sengunthar Engineering College, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: 10.9734/IJPSS/2023/v35i214092

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/107044>

Review Article

Received: 26/08/2023
Accepted: 04/10/2023
Published: 14/11/2023

⁺⁺ Ph.D Scholar;

[†] Assistant Professor;

[#] Associate Professor;

[‡] Professor;

*Corresponding author: E-mail: jogendrakumar5@gmail.com;

ABSTRACT

Plant biochemistry, an intricate nexus of molecular pathways, plays a pivotal role in the sustenance of both plant life and human civilization. While significant advancements have been made in this realm, the complexity of plant metabolic systems continues to pose formidable challenges for researchers. These challenges, however, are accompanied by emerging areas of exploration, such as the nuanced field of epigenetics and the intricate web of plant-microbe interactions. The insights garnered from such research hold vast potential for practical applications. In agriculture, there's an impending promise of high-yield, resilient crops tailored for a changing climate. Concurrently, the medical domain foresees a future where plants, both existing and bioengineered, become essential sources for pharmaceutical compounds. The broader industry can anticipate sustainable solutions ranging from biofuel synthesis to the creation of bioplastics, all rooted in plant biochemistry. In essence, as we delve deeper into understanding these biochemical pathways and interactions, we edge closer to harnessing them for global benefit, pointing to a future where plant biochemistry is not just a subject of academic intrigue but a linchpin for sustainable solutions across sectors.

Keywords: Epigenetics; metabolism; rhizosphere; bioengineering; bioplastics.

1. INTRODUCTION

Plant biochemistry, at its core, explores the complex interplay of chemical reactions that drive the life processes of plants. It encompasses everything from the conversion of sunlight into energy to the myriad of metabolic pathways that give plants their unique properties. To grasp the depth of this field, we delve into its background, its significance in today's scientific and industrial paradigms, and the ambit this review intends to cover. From ancient times, humans have been aware of the essentiality of plants for survival. Our ancestors realized that plants could heal, nourish, and sustain. However, it wasn't until the merging of chemistry and botany in the late 19th and early 20th centuries that the field of plant biochemistry was born [1]. Historically, plant biochemistry began as a quest to understand the nature of photosynthesis. Early experiments sought to decipher how plants managed to "eat sunlight" and produce oxygen. These investigations paved the way for a more intricate understanding of plant processes at the molecular level. Discoveries expanded beyond photosynthesis to the elucidation of various primary and secondary metabolic pathways, the chemical nature of plant hormones, and the complex mechanisms governing plant growth and development.

1.1 Relevance to Modern Science

Fast forward to the 21st century, and plant biochemistry stands tall as a cornerstone of modern scientific research. In a world grappling with climate change, there's an increasing recognition of the pivotal role plants play in global carbon sequestration. Understanding the

biochemical nuances of photosynthesis could offer strategies to enhance the efficiency of this process, enabling plants to sequester more carbon dioxide and act as better ecological buffers against increasing global temperatures [2]. Moreover, plant secondary metabolites – the vast array of chemicals that plants produce for defense, signaling, and other specialized functions – have become a treasure trove for drug discovery. Aspirin, derived from the willow bark; vinblastine and vincristine, from the Madagascar periwinkle; and artemisinin, from the sweet wormwood plant, are just a few examples of medicines that owe their existence to the intricate biochemistry of plants. This connection emphasizes that understanding plant biochemistry could be the gateway to the next generation of life-saving drugs.

1.2 Relevance to Industry

Industrially, plant biochemistry holds the potential to revolutionize multiple sectors. The understanding of lipid metabolism in plants, for instance, is being harnessed to produce biofuels, presenting a sustainable energy alternative to fossil fuels [3]. Additionally, the food industry leverages knowledge of plant biochemistry to develop crops with enhanced nutritional profiles. For instance, 'Golden Rice,' bioengineered to express a precursor of vitamin A, was developed as a potential solution to combat vitamin A deficiency in regions where rice is a staple [4]. The cosmetics industry, driven by consumer demand for natural products, often turns to plants. Compounds like saponins, flavonoids, and essential oils, rooted in plant biochemistry, have found their way into a myriad of skincare and beauty products. Hence, as industries pivot

towards sustainability and natural alternatives, plant biochemistry remains at the heart of innovation.

1.3 Purpose and Scope of the Review

This review endeavors to provide a comprehensive exploration of plant biochemistry. While the roots of this field trace back to ancient times, our focus will predominantly be on contemporary research and advancements. We will traverse the vast landscape of plant metabolic pathways, delving into the primary processes like photosynthesis and respiration, as well as the treasure trove of secondary metabolites that grant plants their unique identities. Additionally, we'll explore the key enzymes that catalyze these biochemical reactions, offering insights into the incredible molecular machines that drive life in plants. The review will also spotlight the myriad applications of plant biochemistry in modern science and industry. Whether it's the quest for sustainable energy, the development of novel pharmaceuticals, or the innovation in the cosmetics sector, plant biochemistry emerges as a key player.

2. HISTORICAL PERSPECTIVE

The history of plant biochemistry is a fascinating tapestry that weaves together the evolutionary trajectories of plant life with human intellectual pursuits. Spanning from the prehistoric advent of terrestrial flora around 500 million years ago to contemporary molecular research, this field encapsulates an evolving understanding of complex metabolic pathways and biochemical processes [5]. Early land plants had the onerous task of adapting to Earth's terrestrial environment, developing innovations like the cuticle—a waxy layer to minimize water loss—and vascular tissues, which enabled structural rigidity and vertical growth. While environmental adaptations drove the evolutionary diversity in plant species, internal cellular innovations also played a pivotal role. For instance, the endosymbiotic theory explains how chloroplasts and mitochondria, two essential organelles in plant biochemistry, originated from bacteria that ancient eukaryotic cells engulfed. This symbiotic relationship led to the development of photosynthesis, a process that fundamentally changed Earth's atmosphere and the life it supports. However, the narrative of plant biochemistry isn't merely one of biological evolution; it's also a human story of curiosity and investigation. For example, Julius von Sachs, a

19th-century German botanist, laid the groundwork for our understanding of plant physiology and photosynthesis. Sachs' work on starch formation provided critical insights into the role of chloroplasts in photosynthesis [6]. Around the same time, Stephen Hales made groundbreaking revelations about plant respiration, enriching our understanding of plants' biochemical interactions with their environment. The 20th century marked an era of unprecedented advances, fueled by the advent of new technologies. Biochemists began to decode primary metabolic pathways like the Calvin cycle and Krebs cycle. The discovery of plant hormones, such as auxins, came through the collaborative efforts of iconic figures like Charles Darwin and his son Francis, who published their findings on canary grass coleoptiles growing towards light [7]. This led to an explosion of research into plant growth and development. As molecular biology and biotechnology gained prominence, scientists could delve deeper into the genetic and molecular underpinnings of plant biochemical pathways. These advances have not only enriched our comprehension of the intricate biochemical architecture in plants but have also facilitated innovations in agriculture, medicine, and environmental science.

3. PRIMARY METABOLIC PATHWAYS IN PLANTS

Plants, with their lush green foliage, form the bedrock of Earth's ecosystems. These seemingly static beings have, for millennia, undertaken complex biochemical processes that have not only sustained their growth but have also served as the foundation for life as we know it. The understanding of these primary metabolic pathways in plants offers insights into how these stationary giants harness sunlight, convert nutrients, and interact with the surrounding environment. We will embark on a journey to explore these fundamental processes, unraveling the intricacies of photosynthesis, respiration, and nitrogen metabolism.

3.1 Photosynthesis: Nature's Alchemy

In the chlorophyll-filled chambers of plant cells, a profound alchemy unfolds: the transformation of sunlight into chemical energy. Photosynthesis, a process fundamental to nearly all life on Earth, occurs in two primary stages - the light reactions and the Calvin cycle. In the light reactions, chlorophyll pigments absorb photons from sunlight, leading to the excitation of electrons.

These electrons move through a series of proteins, known as the electron transport chain, located in the thylakoid membranes of the chloroplasts. As these electrons traverse the chain, they facilitate the splitting of water molecules, a process known as photolysis, releasing oxygen as a by-product. The energy derived from the electron's movement also pumps protons into the thylakoid space, creating a gradient. This gradient drives the synthesis of adenosine triphosphate (ATP) and the electron carrier molecule, nicotinamide adenine dinucleotide phosphate (NADPH), essential substrates for the subsequent Calvin cycle [8]. The Calvin cycle, often referred to as the dark reactions, is a series of enzyme-driven steps that utilize the ATP and NADPH produced in the light reactions to convert carbon dioxide into glucose. The cycle revolves around a five-carbon sugar molecule, ribulose biphosphate (RuBP), and the enzyme ribulose-1,5-biphosphate carboxylase/oxygenase (RuBisCO). RuBisCO facilitates the addition of carbon dioxide to RuBP, a critical step called carbon fixation. Through a sequence of transformations, the resulting three-carbon molecule eventually regenerates RuBP, completing the cycle. But plants are adaptable beings, and not all undergo photosynthesis in the same manner. While most plants, including many crops and trees, follow the above-described C3 pathway, others, especially those in arid climates, have evolved alternative mechanisms.

The C4 pathway, seen in crops like maize and sugarcane, compartmentalizes the initial carbon fixation and the Calvin cycle into different cell types, reducing the chances of photorespiration and enhancing efficiency. The Crassulacean acid metabolism (CAM) pathway, characteristic of succulents like cacti, separates these processes temporally. CAM plants fix carbon dioxide at night, storing it as an acid, and then use it during the day, an adaptation that conserves water [9].

3.2 Respiration

While photosynthesis is about building organic molecules using sunlight, respiration is the process by which plants break down these molecules to release energy. It's a cyclical dance of molecules and enzymes that occurs primarily in the mitochondria. Beginning in the cytosol, the sugar glucose is broken down through glycolysis into pyruvate. This ten-step process, though anaerobic, yields two molecules each of ATP, NADH, and pyruvate. These products then enter the mitochondria, where the pyruvate is decarboxylated, leading to the formation of Acetyl-CoA, a substrate for the Krebs cycle. The Krebs cycle, also known as the citric acid cycle, is a sequence of reactions that further breaks down glucose derivatives, releasing carbon dioxide and transferring high-energy electrons to carrier molecules, NADH, and flavin adenine dinucleotide (FADH₂). These carriers then feed

Table 1. Primary metabolic pathways in plants

Pathway	Location in Plant Cell	Primary Function	Key Molecules Involved
Glycolysis	Cytosol	Breakdown of glucose to pyruvate	Glucose, ATP, NADH, Pyruvate
Krebs Cycle (Citric Acid Cycle)	Mitochondria	Produce ATP and other high-energy molecules	Acetyl CoA, ATP, NADH, FADH ₂
Calvin Cycle	Chloroplast	Carbon fixation in photosynthesis	CO ₂ , ATP, NADPH, Ribulose biphosphate
Pentose Phosphate Pathway	Cytosol	Produce NADPH and ribose 5-phosphate for nucleotide synthesis	Glucose-6-Phosphate, NADPH, Ribose 5-Phosphate
Photorespiration	Chloroplast, Mitochondria, Peroxisome	Detoxification of glycolate formed by Rubisco oxygenase activity	O ₂ , CO ₂ , Glycolate, Glycine
Fatty Acid Synthesis	Chloroplast	Synthesis of fatty acids	Acetyl-CoA, Malonyl-CoA, NADPH
Nitrogen Metabolism	Various Locations	Conversion of inorganic nitrogen to organic forms	Nitrate, Ammonium, Amino Acids
TCA Cycle (Alternative to Krebs)	Mitochondria	Produce ATP, similar to Krebs Cycle but with variations	Acetyl CoA, ATP, NADH
Shikimate Pathway	Cytosol	Synthesis of aromatic amino acids	Phosphoenolpyruvate, Erythrose-4-Phosphate
Ethylene Biosynthesis	Various Locations	Production of ethylene for plant signaling	Methionine, S-adenosylmethionine, Ethylene

into the electron transport chain in the mitochondrial membrane. Here, electrons move from one protein complex to another, ultimately combining with oxygen to form water. The energy derived from this movement drives the synthesis of ATP, the cell's primary energy currency [10].

3.3 Nitrogen Metabolism

Nitrogen, a major constituent of amino acids, nucleic acids, and other vital molecules, is crucial for plant growth. However, plants often face the challenge of accessing nitrogen as most of it is present in the atmosphere as inert N_2 gas. The first step in making this nitrogen available to plants is nitrogen fixation. Certain bacteria, particularly those living symbiotically with leguminous plants, possess an enzyme complex called nitrogenase. This complex facilitates the conversion of atmospheric N_2 into ammonia (NH_3). This symbiotic relationship provides the plant with a direct source of usable nitrogen while the bacteria benefit from the plant's organic compounds (Postgate, 1998). Yet, ammonia is not directly incorporated into plant molecules. Through a series of enzymatic reactions, plants convert ammonia to nitrate (NO_3^-) and then to nitrite (NO_2^-), which is subsequently reduced to ammonium (NH_4^+). This ammonium is assimilated into organic molecules, primarily glutamine and glutamate, serving as precursors for a host of nitrogen-containing compounds essential for plant growth and development.

4. SECONDARY METABOLIC PATHWAYS IN PLANTS

The verdant world of plants is much more than the photosynthetic entities we recognize. Beyond their primary metabolic activities, which encompass the essential functions of growth, development, and reproduction, plants orchestrate a myriad of secondary metabolic pathways. These pathways, while not essential for the plant's immediate survival, play pivotal roles in their interaction with the environment and have profound implications for human health and industry.

4.1 Phenolics and Polyphenols

Among the vast suite of secondary metabolites, phenolics and polyphenols command significant attention. These compounds are synthesized through the shikimate pathway, which bridges the gap between primary metabolism and the aromatic amino acids, namely phenylalanine,

tyrosine, and tryptophan. Phenylalanine, in particular, serves as a precursor for many of these molecules, undergoing deamination by the enzyme phenylalanine ammonia-lyase (PAL) to produce cinnamic acid, which can then be modified into a host of phenolic compounds [11]. In plants, phenolics and polyphenols serve as frontline defenders against herbivores and pathogens. Their bitter taste and potential toxicity deter herbivores, while their antimicrobial properties guard against pathogens. Moreover, their antioxidant capabilities play protective roles against UV radiation and other environmental stressors. For humans, these compounds have been identified as potent antioxidants, playing roles in reducing oxidative stress, thus potentially mitigating diseases such as cardiovascular disorders and certain cancers.

4.2 Alkaloids

Another intriguing class of secondary metabolites is the alkaloids. Characterized by their nitrogen content, alkaloids are derived from amino acids, particularly ornithine, lysine, tyrosine, tryptophan, and anthranilic acid. The biosynthetic pathways are diverse, often involving multiple steps and specialized enzymes that catalyze specific reactions [12]. In nature, alkaloids primarily function as a defense mechanism for plants. Their bitter taste, combined with their potential neurotoxic effects, provides a potent deterrent against herbivores. The nicotine in tobacco, caffeine in coffee, and quinine in cinchona bark all serve protective roles for their respective plants. Yet, for humans, these compounds have often been a double-edged sword. While they can be toxic, they've also been harnessed for medicinal purposes. Morphine, derived from the opium poppy, is a potent analgesic, and quinine has been historically used to treat malaria.

4.3 Terpenoids and Essential Oils

Terpenoids, often colloquially referred to as isoprenoids due to their isoprene-based structure, constitute one of the largest and most diverse groups of plant secondary metabolites. Their biosynthesis originates from two primary pathways: the mevalonic acid (MVA) pathway in the cytosol and the 2-C-methyl-D-erythritol 4-phosphate (MEP) pathway in the plastids [13]. Depending on the number of isoprene units, terpenoids can be classified into monoterpenes, sesquiterpenes, diterpenes, triterpenes, and tetraterpenes. In the environment, these volatile compounds play significant roles in plant-plant

and plant-animal interactions, serving as attractants for pollinators or as repellents for herbivores. Essential oils, which are often rich in terpenoid compounds, have been used by humans for centuries for their aromatic properties in perfumery and flavoring. Additionally, they have found a place in traditional medicine due to their antimicrobial, anti-inflammatory, and other therapeutic properties [14].

4.4 The Vast Expanse Beyond

Plants are a veritable factory of secondary metabolites, and beyond the ones discussed, there are countless others, each with its unique biosynthetic pathway and role. Saponins, for instance, are glycosides that foam in water and have been identified as having antimicrobial and antioxidant activities. Cyanogenic glycosides, on the other hand, release toxic hydrogen cyanide when damaged, acting as a potent defense mechanism against herbivores.

5. KEY ENZYMES IN PLANT BIOCHEMISTRY

In the vast tapestry of plant biochemistry, if pathways are the threads, enzymes are the loom. These biocatalysts facilitate and regulate the intricate biochemical reactions that underlie every aspect of a plant's life, from germination to senescence. From the rapid turnover of

molecules in primary metabolism to the specialized synthesis of secondary metabolites, enzymes play a pivotal role, making the chemical magic of life possible [15].

5.1 Enzymes

Enzymes are complex protein molecules that function as catalysts, accelerating the rate of biochemical reactions without undergoing any permanent change themselves. Central to the function of enzymes is their ability to lower the activation energy of reactions, enabling them to proceed much faster than they would in the absence of the enzyme. Each enzyme is remarkably specific, typically catalyzing a single type of reaction or acting on a particular substrate, a specificity conferred by their unique three-dimensional structure [16]. Classifying these indispensable players, enzymes are divided based on the reactions they catalyze. For instance, oxidoreductases oversee oxidation-reduction reactions, transferases manage the transfer of specific functional groups, hydrolases expedite the breaking of bonds using water, lyases add or remove groups to form double bonds, isomerases rearrange the molecular structure, and ligases facilitate the bonding of two molecules. This classification, though broad, underscores the varied and specialized roles that enzymes play in plant biochemistry.

Table 2. Secondary metabolic pathways in plants

Pathway	Location in Plant Cell	Primary Function	Key Molecules Involved
Phenylpropanoid Pathway	Cytosol	Synthesis of lignin, flavonoids, and other phenolic compounds	Phenylalanine, Cinnamic acid, Coumarin
Terpenoid Pathway	Plastids & Cytoplasm	Production of terpenes, steroids, and carotenoids	Isopentenyl pyrophosphate, Geranyl pyrophosphate, Carotenoids
Alkaloid Biosynthesis	Various Locations	Production of alkaloids for defense	Ornithine, Putrescine, Nicotine
Glucosinolate Pathway	Various Locations	Production of glucosinolates for plant defense	Amino acids, Glucose, Sulfate
Isoflavonoid Pathway	Endoplasmic Reticulum	Synthesis of isoflavonoids for defense and signaling	Phenylalanine, Naringenin, Genistein
Lignan Biosynthesis	Various Locations	Production of lignans for defense and structural integrity	Coniferyl alcohol, Secoisolariciresinol
Cyanogenic Glycoside Pathway	Various Locations	Production of cyanogenic glycosides for defense	Amino acids, Glucose, Hydrogen cyanide
Saponin Biosynthesis	Endoplasmic Reticulum	Production of saponins for membrane integrity and defense	Isopentenyl pyrophosphate, Glycyrrhizin, Diosgenin

5.2 Guiding and Guarding

Every biochemical pathway in plants, whether it's the synthesis of glucose in photosynthesis or the production of an aromatic terpenoid, is an orchestrated series of enzymatic reactions. But beyond merely facilitating reactions, enzymes play a crucial role in regulating these pathways. They ensure that the plant's metabolic machinery runs smoothly, efficiently, and in response to the ever-changing internal and external conditions. Regulation often occurs at the level of key enzymes that govern the rate of a particular pathway. The activity of these enzymes can be modulated through various means, including allosteric regulation, covalent modification, and feedback inhibition. Allosteric regulation, for instance, involves the binding of a molecule at a site other than the enzyme's active site, leading to a conformational change that can either inhibit or activate the enzyme. Feedback inhibition, a subtype of allosteric regulation, is a common strategy where the end product of a pathway inhibits an earlier enzyme, ensuring that the pathway is not overly active and resources are not wasted [17].

6. BIOTECHNOLOGICAL APPLICATIONS

Plants, those silent sentinels of our world, have provided sustenance, shelter, and solace for millennia. However, as humanity's understanding of plant biochemistry has evolved, so has our ability to harness these green factories for innovative and impactful applications. Biotechnology, merging biology with technology, stands at the forefront of this revolution. By utilizing and enhancing plant biochemistry, it promises sustainable solutions to some of the most pressing global challenges. In the annals of plant genetic engineering, the narrative is as much about promise as it is about precision. As our understanding of plant genomes and associated metabolic pathways has grown, so has our ability to modify them. With techniques like CRISPR-Cas9 and other genome-editing tools, targeted modifications of specific genes or regulatory elements have become achievable [18]. This ability can be harnessed to improve crop yield, make plants resistant to pests, or even enhance the nutritional value of crops. For instance, the engineering of "Golden Rice," which boasts enhanced Vitamin A content through the insertion of genes associated with β -carotene production, stands as a testament to this potential. Not only does this innovation promise better nutritional outcomes, but it also

hints at a future where malnutrition might be addressed at its root through biotechnological interventions [19]. Turning our gaze from the fields to polluted terrains, plants emerge as potential saviors yet again. Phytoremediation, a process that uses plants to remove, detoxify, or stabilize environmental contaminants, embodies a green solution to an often grey problem. Certain plants, aptly called hyperaccumulators, can absorb and concentrate heavy metals from their environment. By understanding and potentially enhancing the biochemistry underlying this accumulation, such as the processes of metal uptake, transport, and sequestration, we could use these plants as living detoxifiers. For instance, the sunflower has been employed to remove harmful radionuclides from water, showcasing the potential of plants in cleaning up post-nuclear disaster sites [20]. While plants have been sources of medicinal compounds for as long as humanity has known disease, modern biotechnological interventions are setting the stage for a new era of pharmaceuticals. By deciphering the intricate metabolic pathways responsible for the synthesis of medicinal compounds, scientists can not only harvest these molecules but can also enhance their production or even engineer them in organisms that don't naturally produce them. A poignant example is the production of artemisinin, a potent anti-malarial drug. Originally derived from the sweet wormwood plant, its production was limited and variable. However, by transferring the necessary genes to yeast, researchers enabled the microbial synthesis of this life-saving compound, ensuring a more consistent and scalable supply [21]. Lastly, in our quest for cleaner energy, plants once again emerge as allies. Biofuels, derived from plant biomass, offer a renewable alternative to fossil fuels. However, the efficient conversion of plant material, especially the resistant cellulose, to fuel remains a challenge. By manipulating plant biochemistry, particularly the pathways associated with lignin synthesis and degradation, researchers aim to produce plants that are more amenable to biofuel conversion. This approach, complemented by engineering microbes to more efficiently ferment plant-derived sugars, holds the promise of a greener energy future [22].

7. MODERN TECHNIQUES AND TOOLS IN PLANT BIOCHEMISTRY

In the realm of plant biochemistry, a profound revolution is unfolding. Gone are the days when our understanding was limited by rudimentary

tools and techniques. With rapid advancements in technology, modern plant biochemists are now equipped with an arsenal of sophisticated tools, enabling them to delve deeper, discover faster, and design better. These tools are not only uncovering the intricate secrets of plant metabolism but are also propelling us into an era where we can manipulate and harness these pathways for the greater good. The genomic era has fundamentally reshaped our understanding of plant biology. The large-scale sequencing of plant genomes, ranging from the staple rice to the model *Arabidopsis*, has provided a genetic blueprint of their biochemical potential. Coupled with transcriptomics, which explores the expression patterns of genes under various conditions, researchers can now glean insights into which pathways are active during specific developmental stages or in response to certain stimuli. Next-generation sequencing (NGS) technologies, with their ability to rapidly and accurately sequence large volumes of DNA, have been instrumental in these endeavors. They've enabled the elucidation of complex pathways, identification of novel genes, and given insights into the regulatory networks that dictate plant biochemistry [23]. While genomics and transcriptomics provide a snapshot of the potential and activity at the gene level, proteomics dives into the actual players: the proteins. In plant biochemistry, this primarily pertains to enzymes that catalyze myriad reactions. Advanced techniques like two-dimensional gel electrophoresis coupled with mass spectrometry have revolutionized enzyme characterization. These methods allow for the separation, identification, and quantification of thousands of proteins from plant extracts, revealing not just their presence but also post-translational modifications, interactions, and more. Such detailed protein profiling is pivotal in understanding the dynamics of metabolic pathways and their regulation [24]. While the aforementioned techniques offer a deep dive into the genetic and protein machinery of plants, metabolomics delivers insights into the actual biochemical products. By employing tools like gas chromatography-mass spectrometry (GC-MS) and liquid chromatography-mass spectrometry (LC-MS), researchers can now profile a wide range of metabolites from plant tissues. Such metabolic profiling reveals the final products of various pathways, their fluctuations in response to environmental changes, and provides a holistic view of plant biochemistry in action. Moreover, it plays a pivotal role in identifying novel metabolites, understanding

plant responses to stress, and even in phylogenetic studies [25].

8. FUTURE PERSPECTIVES

Navigating the complex world of plant biochemistry, we find ourselves at an exciting juncture between past discoveries and future possibilities. Despite substantial progress, challenges abound. For instance, the inherent complexity of plant metabolic networks often presents a hurdle. Plants display metabolic redundancy, where multiple pathways can lead to the same end product. This evolutionary advantage complicates efforts to isolate key pathways in different contexts [26]. Additionally, biochemical reactions may be compartmentalized within specific cellular areas or specialized cells, requiring precise analytical methods. Emerging fields like epigenetics offer new avenues for exploration. Epigenetic mechanisms, such as DNA methylation or histone modifications, can regulate gene expression without altering the DNA sequence, thereby influencing metabolic pathways [27]. Furthermore, the study of plant-microbe interactions, particularly in the rhizosphere, could unveil novel strategies for improving plant health and productivity. The practical applications of plant biochemistry are wide-ranging. In agriculture, the manipulation of metabolic pathways could lead to crops that are both high-yielding and resilient, addressing challenges posed by climate change and increasing global populations [28]. Medicinally, plants remain a vital source of pharmaceutical compounds, and our growing understanding could enable us to not only utilize existing plants more efficiently but also engineer new ones for specific drug synthesis. The burgeoning bio-economy, which includes the sustainable production of biofuels and bioplastics, is another area that stands to gain immensely from advancements in plant biochemistry.

9. CONCLUSION

In the dynamic field of plant biochemistry, past revelations serve as a foundation for imminent breakthroughs. Despite the intricate challenges posed by plant metabolic networks and the inherent complexities in studying them, emerging areas like epigenetics and plant-microbe interactions offer novel research avenues. The potential applications, spanning agriculture, medicine, and industry, are poised to address global challenges, from food security to

sustainable health solutions. As we harness this knowledge, the promise lies not just in understanding the plant world better, but in leveraging it for a sustainable and prosperous future.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Hartmann T. The lost origin of chemical ecology in the late 19th century. *Proceedings of the National Academy of Sciences*. 2008;105(12):4541-4546.
2. Smith J. *Biofuels and the Globalization of Risk: The biggest change in north-south relationships since colonialism?*. Bloomsbury Publishing. 2010
3. Shuba ES, Kifle D. Microalgae to biofuels: 'Promising' alternative and renewable energy, review. *Renewable and Sustainable Energy Reviews*. 2018;81: 743-755.
4. Singh A, Sengar RS. Golden rice: biofortification to combat malnutrition. *Progressive Agriculture*. 2014;14(2):300-306.
5. Pollard TD, Earnshaw WC, Lippincott-Schwartz J, Johnson G. *Cell biology* -book. Elsevier Health Sciences; 2022.
6. Dhiman N, Sharma NK, Thapa P, Sharma I, Kumar Swarnkar M, Chawla A, Bhattacharya A. De novo transcriptome provides insights into the growth behaviour and resveratrol and trans-stilbenes biosynthesis in *Dactyloctenium aegyptium*-An endangered alpine terrestrial orchid of western Himalaya. *Scientific Reports*. 2019;9(1):13133.
7. Hopper SD, Lambers H. Darwin as a plant scientist: A southern hemisphere perspective. *Trends in Plant Science* 2009;14(8):421-435.
8. Chen H, Wang Q. Regulatory mechanisms of lipid biosynthesis in microalgae. *Biological Reviews*. 2021;96(5):2373-2391.
9. Leverett A, Borland AM. Elevated nocturnal respiratory rates in the mitochondria of cam plants: Current knowledge and unanswered questions. *Annals of Botany*. mcad119; 2023.
10. Pinna S, Kunz C, Halpern A, Harrison SA, Jordan SF, Ward J, Lane N. A prebiotic basis for ATP as the Universal Energy currency. *PLoS Biology*. 2022;20(10): e3001437.
11. Kukil K, Lindberg P. Expression of phenylalanine ammonia lyases in *Synechocystis* sp. PCC 6803 and subsequent improvements of sustainable production of phenylpropanoids. *Microbial Cell Factories*. 2022;21(1):1-16.
12. Hedges JB, Ryan KS. Biosynthetic pathways to nonproteinogenic α -amino acids. *Chemical Reviews*. 2019;120(6): 3161-3209.
13. Hemmerlin A, Harwood JL, Bach TJ. A raison d'être for two distinct pathways in the early steps of plant isoprenoid biosynthesis?. *Progress in Lipid Research*. 2012;51(2):95-148.
14. Yaghoobi R, Kazerouni A. Evidence for clinical use of honey in wound healing as an anti-bacterial, anti-inflammatory anti-oxidant and anti-viral agent: A review. *Jundishapur Journal of Natural Pharmaceutical Products*. 2013;8(3):100.
15. De Filippis LF. Plant secondary metabolites: From molecular biology to health products. *Plant-Environment Interaction: Responses and Approaches to Mitigate Stress*. 2016;263-299.
16. Gilbert HJ, Stålbrand H, Brumer H. How the walls come crumbling down: recent structural biochemistry of plant polysaccharide degradation. *Current Opinion in Plant Biology*. 2008;11(3):338-348.
17. Icard P, Lincet H. A global view of the biochemical pathways involved in the regulation of the metabolism of cancer cells. *Biochimica et Biophysica Acta (BBA)-Reviews on Cancer*. 2012; 1826(2):423-433.
18. Noman A, Aqeel M, He S. CRISPR-Cas9: tool for qualitative and quantitative plant genome editing. *Frontiers in Plant Science*. 2016;7:1740.
19. Pretty J, Sutherland WJ, Ashby J, Auburn J, Baulcombe D, Bell M, Pilgrim S. The top 100 questions of importance to the future of global agriculture. *International Journal of Agricultural Sustainability*. 2010;8(4): 219-236.
20. Mench M, Schwitzguébel JP, Schroeder P, Bert V, Gawronski S, Gupta S. Assessment of successful experiments and limitations of phytotechnologies: Contaminant uptake,

- detoxification and sequestration, and consequences for food safety. Environmental Science and Pollution Research. 2009;16:876-900.
21. Caesar LK, Montaser R, Keller NP, Kelleher NL. Metabolomics and genomics in natural products research: complementary tools for targeting new chemical entities. Natural Product Reports. 2021;38(11):2041-2065.
 22. Baral NR, Sundstrom ER, Das L, Gladden J, Eudes A, Mortimer JC, Scown CD. Approaches for more efficient biological conversion of lignocellulosic feedstocks to biofuels and bioproducts. ACS Sustainable Chemistry & Engineering. 2019;7(10):9062-9079.
 23. Morgan AJ, Platt FM, Lloyd-Evans E, Galione A. Molecular mechanisms of endolysosomal Ca²⁺ signalling in health and disease. Biochemical Journal. 2011; 439(3):349-378.
 24. Singh BV, Rana NS, Kurdekar AK, Verma A, Saini Y, Sachan DS, Tripathi AM. Effect of Nano and Non-Nano Nutrients on Content, Uptake and NUE of Wheat (*Triticum aestivum* L.). Int. J. Environ. Clim. Change. 2023;13(7):551-558.
 25. Singh BV, Girase ISP, Kanaujiya PK, Verma S, Singh S. Unleashing the Power of Agronomy: Nurturing Sustainable Food System for a Flourishing Future. Asian Journal of Research in Agriculture and Forestry. 2023;9(3):164-171.
 26. Maurya CL, Khan AA, Poonam Singh Yadav, V.K.S. Studies on various seed vigour tests and their correlation with field emergence in oat (*Avena sativa* L.). Farm Science Journal. 2006;15:73-74.
 27. Singh YK, Singh BV, Katiyar D, Saikanth DRK, Kumar K, Singh O, Kumar P. Efficacy of Nano Fertilizers on Yield, Attributes and Economics of Wheat. International Journal of Environment and Climate Change. 2023; 13(7):291-297.
 28. Munaweera TIK, Jayawardana NU, Rajaratnam R, Dissanayake N. Modern plant biotechnology as a strategy in addressing climate change and attaining food security. Agriculture & Food Security. 2022;11(1):1-28.

© 2023 Mondal et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:

The peer review history for this paper can be accessed here:

<https://www.sdiarticle5.com/review-history/107044>